

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	873	716/12.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:14
L2	697	716/13,14.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:14
S1	2	"20030063568"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 08:45
S2	132	teig-steven.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/08 13:56
S3	48	teig-steven.in. and (stor\$.adj2 routes)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 14:51
S4	6	(partition\$3 with (layout with sub\$1region))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/08 08:49
S6	73	716/12.ccls. and ((stor\$4 or sav\$3 or retriev\$3) with (rout\$3 or wir\$3)) and travers\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 10:59
S7	840	716/12.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 13:12
S10	2	"6442743".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 12:38

S11	67	716/12.ccls. and (diagonal with rout\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 12:59
S12	44	716/12.ccls. and (router same partition\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 13:00
S13	16	716/12.ccls. and (bitstring)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/22 09:09
S14	43	"716"/\$.ccls. and (bitstring)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 13:12
S15	206	716/12.CCLS. and (stor\$ with rout\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/08 08:53
S16	2	"20020100009"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/22 08:47
S17	13	716/12.ccls. and (binary adj tree)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 15:32
S18	2	"6665852".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/22 10:53
S19	1	(route adj2 stored adj3 storage adj structure).CLM.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 15:27
S20	108	(rout\$3 adj2 stored adj3 storage).CLM.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 15:27

S21	0	"716"/\$.ccls. and (rout\$3 adj2 stored adj3 storage).CLM.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 15:28
S22	36	716/12.ccls. and (binary adj2 tree)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 15:41
S23	4	("6295634" "5587923").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/08 08:20
S24	248	("716"/\$.ccls. or "370"/\$.ccls. or "703"/\$.ccls.) and (storing adj3 routes)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/08 13:58
S25	0	("716"/\$.ccls. or "370"/\$.ccls. or "703"/\$.ccls.) and (storing same (avoid\$3 adj2 duplicate adj3 rout\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/08 08:44
S26	7	("716"/\$.ccls. or "370"/\$.ccls. or "703"/\$.ccls.) and ( (avoid\$3 adj2 duplicate adj3 rout\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/08 08:45
S27	18	("716"/\$.ccls. or "370"/\$.ccls. or "703"/\$.ccls.) and (stor\$4 with ( duplicate adj3 rout\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/08 08:46
S28	8	(partition\$3 with ((layout or rout\$3) with sub\$1region))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/08 08:50
S29	116	716/12.CCLS. and (stor\$ near3 rout\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/08 13:50
S30	2	"6295634".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/08 10:02
S31	37	("6295634").URPN.	USPAT	OR	ON	2005/12/08 10:44

S32	54	716/12.CCLS. and (stor\$ near3 rout\$3) and (tree)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/08 13:50
S33	5	teig-steven.in. and (binary adj tree)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/08 13:56
S34	46	("716"/\$.ccls. or "370"/\$.ccls. or "703"/\$.ccls.) and (storing adj3 routes) and (binary adj2 tree)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:14